



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov



Bib Data Sheet

CONFIRMATION NO. 4137

SERIAL NUMBER 09/842,776	FILING DATE 04/27/2001 RULE	CLASS 435	GROUP ART UNIT 1645	ATTORNEY DOCKET NO. 41735
-----------------------------	-----------------------------------	--------------	------------------------	---------------------------------

## APPLICANTS

Christian Reiter, Karlsfeld, GERMANY;

Gerhard Cullmann, Muenchen, GERMANY;  
 Ulrike Friedrichs, Leipzig, GERMANY; Petra Heppner, Pullach, GERMANY;  
 Meret Lakner, Muenchen, GERMANY;  
 Achim Ringeis, Graefelfing, GERMANY;

## \*\* CONTINUING DATA \*\*\*\*\*


This application is a CON of PCT/EP99/08212 10/29/1999

## \*\* FOREIGN APPLICATIONS \*\*\*\*\*

EUROPEAN PATENT OFFICE (EPO) 98 120517.2 10/29/1998  
 EUROPEAN PATENT OFFICE (EPO) 98 120687.3 11/06/1998

## IF REQUIRED, FOREIGN FILING LICENSE GRANTED \*\* SMALL ENTITY \*\*

\*\* 09/06/2001

Foreign Priority claimed	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no	STATE OR COUNTRY	SHEETS	TOTAL	INDEPENDENT
35 USC 119 (a-d) conditions met	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after Allowance	GERMANY	DRAWING 0	CLAIMS 6	CLAIMS 3
Verified and Acknowledged	Examiner's Signature  Initials 				

## ADDRESS

22204  
 NIXON PEABODY, LLP  
 401 9TH STREET, NW  
 SUITE 900  
 WASHINGTON , DC  
 20004-2128

## TITLE

New method for detecting acid-resistant microorganisms in the stool

All Fees